

Gas Log Sets and Accessories

Ventis® VENTED AND VENT FREE GAS LOG SETS



Allegheny Oak



Burnt Mountain Oak



Cord Oak



Adirondack Oak

Ventis® Gas Log Sets

Our Ventis® Gas Log Sets are available for both natural gas and liquid propane. Our four unique sets feature natural looking, hard refractory, hand-painted logs, and a beautifully glowing ember bed which create a realistic look.

NOTE: Allegheny Oak, Burnt Mountain Oak, and Cord Oak are for V1 Vented Series Burners Only. Adirondack Oak is for VF1 Vent-Free Burners Only.

Item #	Part #	Gas Log Set	Minimum Fireplace Opening
Allegheny Oak Log Set - Vented			
3602600	AOK-18	18" Log Set	26"w × 18"h × 15"d
3602601	AOK-24	24" Log Set	30"w × 18"h × 15"d
3602602	AOK-30	30" Log Set	36"w × 18"h × 15"d
Burnt Mountain Log Set - Vented			
3602604	BMO-18	18" Log Set	26"w × 18"h × 15"d
3602605	BMO-24	24" Log Set	30"w × 18"h × 15"d
3602606	BMO-30	30" Log Set	36"w × 18"h × 15"d
Cord Oak Log Set - Vented			
3602608	CO-18	18" Log Set	26"w × 18"h × 15"d
3602609	CO-24	24" Log Set	30"w × 18"h × 15"d
3602610	CO-30	30" Log Set	36"w × 18"h × 15"d
Adirondack Oak Log Set - Vent Free			
3602597	ADO-18	18" Log Set	22"w × 17"h × 13"d
3602598	ADO-24	24" Log Set	28"w × 18"h × 14"d
3602599	ADO-30	30" Log Set	34"w × 18"h × 14"d



Ventis® Gas Log Accessories

Item #	Part #	Description
3602611	EEK-1	(A) Decor Pack Featuring Bryte Coals
3602614	VRK-1	(B) Refresh Kit, Natural Gas
3602615	VRK-2	Refresh Kit, Propane
3602603	BMN-10-6	(C) Select White Sand, 10lb. bag (6 per case)
3602607	BMP-15-12	(D) Vermiculite Granules, (12 per case)
3602613	LG-10-6	(E) Lava-Fyre Granules, 10lb. bag (6 per case)
3602612	GLE-1-12	(F) Ember Glow, (12 per case)

Gas Log Sets and Accessories

Ventis® VENTED AND VENT FREE GAS LOG SETS



V1 Series (vented)



VF1 Series (vent free)



Variable Flame Remote

Ventis® Gas Log Burners

- Available for natural gas (NG) or liquid propane (LP)
- ANSI Certified Burner System with variable flame remote

V1 Series (vented) features hidden installed controls, piezzo ignition, and lively flames and embers with less BTUs. Lava granules included.

VF1 Series (vent free) is available for natural gas or propane with variable BTUs from 19,000 to 37,000. Lava granules, embers, and Bryte Coals are included with the unit.

Item #	Part #	Gas Log Burner
V1 Series ANSI Certified Vented System with Variable Flame Remote		
3602587	V1-18-VRN	18" Ventis 40,000 BTU Vented Burner, Ng
3602588	V1-18-VRP	18" Ventis 40,000 BTU Vented Burner, Lp
Product Note: 18" Minimum Fireplace Opening 26"w x 18"h x 15"d		
3602589	V1-24-VRN	24" Ventis 55,000 Vented Burner, Ng
3602590	V1-24-VRP	24" Ventis 55,000 Vented Burner, Lp
Product Note: 24" Minimum Fireplace Opening 30"w x 18"h x 15"d		
3602591	V1-30-VRN	30" Ventis 65,000 Vented Burner, Ng
3602592	V1-30-VRP	30" Ventis 65,000 Vented Burner, Lp
Product Note: 30" Minimum Fireplace Opening 36"w x 18"h x 15"d		
VF1 Series ANSI Certified Vent Free System with Variable Flame Remote		
3602593	VF1-18-VRN	18" Ventis Vent Free Burner System, Ng
3602594	VF1-18-VRP	18" Ventis Vent Free Burner System, Lp
Product Note: 18" Minimum fireplace opening 22"w x 18"h x 13"d		
18" Burners 26,000 to 35,000 BTU's		
3602595	VF1-2430-VRN	24/30" Ventis Vent Free Burner System, Ng
3602596	VF1-2430-VRP	24/30" Ventis Vent Free Burner System, Lp
Product Not: 24" Log set and Burner Minimum Fireplace Opening: 28"w x 18"h x 14"d		
Product Note: 30" log set and burner Minimum fireplace opening 34" w x 18" h x 14" d		
24"-30" Burners 19,000 to 37,000 BTU's		

Hargrove® Vented Gas Logs

HARGOVE VENTED LOG SETS



Classic Oak



Western Pine



Grand Oak



Inferno



Magnificent Inferno

The Classic Oak, Western Pine, Grand Oak, Inferno and the Magnificent Inferno logs offer a realistic look of wood, a quality Hargrove is know for.

All logs carry a lifetime warranty against breakage. Accessories and metal parts have a two year warranty.

You have choices when it comes to burners. (Sold Separately) The E-burners and the H- burners come with all of the necessary hardware — decorative silica sand, volcanic cinders, dual effect embers, pedestal grate, ember tray, damper stop, and aluminum connector for installation to a fireplace with a 1/2" natural gas line.

Additional options include a millivolt control valve to make the logs remote ready and a safety pilot control which is required in some areas. The safety pilot control and millivolt control kits are sold separately.

Save on installation time with the fully assembled remote ready H-Burner with variable flame

RGA 2-72 Approved Vented

Hargrove Gas Logs SEE MORE ON THE NEXT PAGE AND PREVIOUS PAGE

Item #	Gas Log Set Description
Choose log set + Choose a burner (Required to complete the set)	
3608446	18" Classic Oak
3608429	18" Grand Oak
Product Note: 18" Minimum fireplace opening 18"h x 24"w x 15"d	
3608443	21" Inferno — uses 18" burner
3608428	21" Magnificent Inferno — uses 18" burner
3608450	21" Western Pine — uses 18" burner
Product Note: 21" Minimum fireplace opening 18"h x 25"w x 15"d	
3608444	24" Inferno
3608445	24" Magnificent Inferno
3608448	24" Grand Oak
3608447	24" Classic Oak
3608451	24" Western Pine
Product Note: 24" Minimum fireplace opening 18"h x 28"w x 15"d	
3608427	30" Inferno
3608449	30" Grand Oak
Product Note: 30" Minimum fireplace opening 18"h x 34"w x 15"d	

Natural Gas and Propane Note: Standard gas logs are for natural gas use. Local codes may require the addition of a safety pilot control (sold separately) for natural gas logs or may require installation by a licensed plumber. Check with local codes to see if they prohibit and/or require other modifications. For Propane, be sure to order the appropriate size Propane safety pilot kit.

Legal Note: State/local codes may restrict gas logs installation. Consult your municipality.



Cross Timbers



Rustic Timbers



Woodland Timbers

Hargrove® Vented Gas Logs

HARGOVE VENTED LOG SETS

With the Hargrove Radiant Heat logs, you get the additional benefit of more radiant heat. The secret is in the ceramic fiber construction of the Radiant Heat logs. In addition to the benefits the logs provide, a Radiant Riser fits behind the burner and radiates even more heat into the room. All logs carry a lifetime warranty against breakage. Accessories and metal parts have a two year warranty. Each burner component (sold separately) comes with all necessary hardware — decorative silica sand, volcanic cinders, dual effect embers, pedestal grate, ember tray, damper stop, and aluminum connector for installation to a fireplace with a 1/2" natural gas line. Additional options include a millivolt control valve to make the logs remote ready and a safety pilot control which is required in some areas. The safety pilot control and millivolt control kits are sold separately.

Save on installation time with the fully assembled remote ready H-Burner with variable flame adjustment control. (Remote Included) available in NG or LP.

Hargrove Radiant Heat (Ceramic Fiber) Gas Logs

SEE MORE ON THE NEXT PAGE AND PREVIOUS PAGES

Item #	Gas Log Set Description
Choose log set + Choose a burner (Required to complete the set)	
COP48538	21" Cross Timbers — uses 18" burner
3608431	21" Rustic Timbers — uses 18" burner
3608434	21" Woodland Timbers — uses 18" burner
Product Note: 21" Minimum fireplace opening 18"h x 25"w x 15"d	
COP48539	24" Cross Timbers
3608432	24" Rustic Timbers
3608435	24" Woodland Timbers
Product Note: 24" Minimum fireplace opening 18"h x 28"w x 15"d	
3608430	30" Cross Timbers
3608433	30" Rustic Timbers
3608436	30" Woodland Timbers
Product Note: 30" Minimum fireplace opening 18"h x 34"w x 15"d	